

ANALISI DI REGRESSIONE 4 (PWB ~ coping * risorse)

(AU ~ SU * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.379	0.143	0.133	0.699

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	19.452	3	6.484	13.276	< .001
	Residual	116.238	238	0.488		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	4.063	0.591		6.870	< .001
	SU_mean411	−0.563	0.467	−0.346	−1.205	0.229
	ott_mean	0.220	0.166	0.219	1.324	0.187
	SU_mean411 * ott_mean	0.072	0.134	0.166	0.535	0.593

(EM ~ SU * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.604	0.364	0.356	0.677

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	62.613	3	20.871	45.495	< .001
	Residual	109.184	238	0.459		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.943	0.573		5.136	< .001
	SU_mean411	−0.665	0.452	−0.364	−1.471	0.143
	ott_mean	0.507	0.161	0.449	3.155	0.002
	SU_mean411 * ott_mean	0.116	0.130	0.238	0.892	0.374

(PG ~ SU * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.506	0.256	0.246	0.578

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	27.284	3	9.095	27.267	< .001
	Residual	79.383	238	0.334		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.550	0.489		9.310	< .001
	SU_mean411	−1.028	0.386	−0.714	−2.666	0.008
	ott_mean	0.121	0.137	0.136	0.884	0.377
	SU_mean411 * ott_mean	0.251	0.111	0.656	2.270	0.024

(PRO ~ SU * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.496	0.246	0.236	0.761

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	44.937	3	14.979	25.861	< .001
	Residual	137.851	238	0.579		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.382	0.644		3.699	< .001
	SU_mean411	0.179	0.508	0.095	0.353	0.724
	ott_mean	0.679	0.181	0.582	3.756	< .001
	SU_mean411 * ott_mean	−0.115	0.146	−0.230	−0.790	0.430

(PL ~ SU * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.602	0.363	0.355	0.662

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	59.370	3	19.790	45.141	< .001
	Residual	104.340	238	0.438		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.437	0.560		6.134	< .001
	SU_mean411	−0.932	0.442	−0.522	−2.106	0.036
	ott_mean	0.379	0.157	0.343	2.411	0.017
	SU_mean411 * ott_mean	0.223	0.127	0.471	1.759	0.080

(SA ~ SU * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.684	0.468	0.462	0.708

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	105.212	3	35.071	69.911	< .001
	Residual	119.391	238	0.502		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	1.286	0.599		2.145	0.033
	SU_mean411	−0.009	0.473	−0.004	−0.018	0.985
	ott_mean	0.915	0.168	0.708	5.440	< .001
	SU_mean411 * ott_mean	−0.038	0.136	−0.069	−0.283	0.778

(AU ~ ES * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.400	0.160	0.150	0.692

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	21.763	3	7.254	15.155	< .001
	Residual	113.927	238	0.479		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	5.755	0.646		8.907	< .001
	ES_mean515	−1.159	0.292	−1.094	−3.977	< .001
	ott_mean	−0.325	0.178	−0.324	−1.822	0.070
	ES_mean515 * ott_mean	0.313	0.082	1.188	3.834	< .001

(EM ~ ES * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.599	0.359	0.351	0.680

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	61.733	3	20.578	44.496	< .001
	Residual	110.064	238	0.462		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	3.337	0.635		5.254	< .001
	ES_mean515	−0.575	0.287	−0.482	−2.006	0.046
	ott_mean	0.387	0.175	0.342	2.207	0.028
	ES_mean515 * ott_mean	0.127	0.080	0.430	1.588	0.114

(PG ~ ES * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.500	0.250	0.241	0.580

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	26.676	3	8.892	26.456	< .001
	Residual	79.992	238	0.336		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.611	0.541		8.516	< .001
	ES_mean515	−0.613	0.244	−0.653	−2.510	0.013
	ott_mean	0.108	0.150	0.121	0.721	0.471
	ES_mean515 * ott_mean	0.150	0.068	0.640	2.186	0.030

(PRO ~ ES * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.484	0.234	0.225	0.767

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	42.863	3	14.288	24.302	< .001
	Residual	139.925	238	0.588		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.861	0.716		3.996	< .001
	ES_mean515	−0.144	0.323	−0.117	−0.446	0.656
	ott_mean	0.510	0.198	0.438	2.580	0.010
	ES_mean515 * ott_mean	0.022	0.090	0.072	0.242	0.809

(PL ~ ES * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.600	0.360	0.352	0.663

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	58.995	3	19.665	44.695	< .001
	Residual	104.715	238	0.440		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.614	0.619		5.834	< .001
	ES_mean515	−0.617	0.280	−0.530	−2.207	0.028
	ott_mean	0.325	0.171	0.294	1.898	0.059
	ES_mean515 * ott_mean	0.154	0.078	0.533	1.970	0.050

(SA ~ ES * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.695	0.483	0.476	0.698

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	108.487	3	36.162	74.121	< .001
	Residual	116.116	238	0.488		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.913	0.652		4.466	< .001
	ES_mean515	−0.788	0.294	−0.578	−2.678	0.008
	ott_mean	0.474	0.180	0.367	2.633	0.009
	ES_mean515 * ott_mean	0.193	0.082	0.569	2.337	0.020

(AU ~ IS * **ottimismo**)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.406	0.165	0.154	0.690

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	22.331	3	7.444	15.628	< .001
	Residual	113.359	238	0.476		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	5.618	0.645		8.709	< .001
	IS_mean1023	−1.044	0.281	−0.889	−3.715	< .001
	ott_mean	−0.211	0.176	−0.210	−1.197	0.232
	IS_mean1023 * ott_mean	0.244	0.078	0.873	3.143	0.002

(EM ~ IS * **ottimismo**)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.593	0.352	0.344	0.684

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	60.417	3	20.139	43.034	< .001
	Residual	111.379	238	0.468		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.884	0.639		4.510	< .001
	IS_mean1023	−0.349	0.279	−0.264	−1.253	0.211
	ott_mean	0.515	0.174	0.455	2.952	0.003
	IS_mean1023 * ott_mean	0.063	0.077	0.201	0.822	0.412

(PG ~ IS * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.489	0.239	0.229	0.584

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	25.494	3	8.498	24.917	< .001
	Residual	81.173	238	0.341		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.185	0.546		7.665	< .001
	IS_mean1023	−0.397	0.238	−0.381	−1.667	0.097
	ott_mean	0.231	0.149	0.259	1.553	0.122
	IS_mean1023 * ott_mean	0.086	0.066	0.349	1.317	0.189

(PRO ~ IS * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.497	0.247	0.237	0.761

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	45.098	3	15.033	25.985	< .001
	Residual	137.690	238	0.579		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.182	0.711		3.069	0.002
	IS_mean1023	0.184	0.310	0.135	0.593	0.554
	ott_mean	0.750	0.194	0.643	3.869	< .001
	IS_mean1023 * ott_mean	−0.094	0.085	−0.291	−1.104	0.271

(PL ~ IS * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.592	0.351	0.343	0.668

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	57.429	3	19.143	42.868	< .001
	Residual	106.281	238	0.447		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	2.629	0.625		4.208	< .001
	IS_mean1023	−0.137	0.272	−0.106	−0.504	0.615
	ott_mean	0.615	0.170	0.558	3.612	< .001
	IS_mean1023 * ott_mean	0.012	0.075	0.039	0.159	0.874

(SA ~ IS * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.692	0.478	0.472	0.702

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	107.463	3	35.821	72.780	< .001
	Residual	117.140	238	0.492		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.138	0.656		3.261	0.001
	IS_mean1023	−0.398	0.286	−0.263	−1.392	0.165
	ott_mean	0.731	0.179	0.565	4.085	< .001
	IS_mean1023 * ott_mean	0.064	0.079	0.177	0.807	0.420

(AU ~ BD * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.353	0.124	0.113	0.707

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	16.881	3	5.627	11.272	< .001
	Residual	118.809	238	0.499		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	4.976	0.744		6.686	< .001
	BD_mean616	−1.360	0.596	−0.802	−2.283	0.023
	ott_mean	−0.146	0.220	−0.145	−0.662	0.508
	BD_mean616 * ott_mean	0.397	0.184	0.782	2.164	0.031

(EM ~ BD * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.635	0.404	0.396	0.656

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	69.372	3	23.124	53.732	< .001
	Residual	102.425	238	0.430		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	4.598	0.691		6.654	< .001
	BD_mean616	−1.932	0.553	−1.012	−3.492	< .001
	ott_mean	0.051	0.205	0.045	0.249	0.804
	BD_mean616 * ott_mean	0.476	0.170	0.833	2.793	0.006

(PG ~ BD * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.539	0.290	0.281	0.564

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	30.941	3	10.314	32.415	< .001
	Residual	75.727	238	0.318		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	5.471	0.594		9.209	< .001
	BD_mean616	−1.700	0.476	−1.130	−3.574	< .001
	ott_mean	−0.125	0.176	−0.141	−0.713	0.477
	BD_mean616 * ott_mean	0.437	0.147	0.972	2.985	0.003

(PRO ~ BD * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.517	0.267	0.258	0.750

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	48.796	3	16.265	28.891	< .001
	Residual	133.992	238	0.563		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	3.626	0.790		4.588	< .001
	BD_mean616	−0.745	0.633	−0.378	−1.177	0.240
	ott_mean	0.373	0.234	0.319	1.592	0.113
	BD_mean616 * ott_mean	0.115	0.195	0.195	0.588	0.557

(PL ~ BD * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.627	0.393	0.386	0.646

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	64.411	3	21.470	51.461	< .001
	Residual	99.299	238	0.417		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	4.753	0.680		6.986	< .001
	BD_mean616	−1.942	0.545	−1.042	−3.566	< .001
	ott_mean	0.012	0.201	0.011	0.060	0.952
	BD_mean616 * ott_mean	0.514	0.168	0.923	3.065	0.002

(SA ~ BD * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.704	0.496	0.490	0.690

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	111.408	3	37.136	78.081	< .001
	Residual	113.195	238	0.476		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	3.169	0.726		4.362	< .001
	BD_mean616	−1.477	0.581	−0.677	−2.541	0.012
	ott_mean	0.422	0.215	0.326	1.961	0.051
	BD_mean616 * ott_mean	0.353	0.179	0.541	1.973	0.050

(AU ~ PR * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.327	0.107	0.096	0.713

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	14.544	3	4.848	9.524	< .001
	Residual	121.146	238	0.509		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.933	0.788		4.993	< .001
	PR_mean1217	−0.248	0.301	−0.245	−0.822	0.412
	ott_mean	0.177	0.219	0.176	0.805	0.422
	PR_mean1217 * ott_mean	0.060	0.081	0.310	0.750	0.454

(EM ~ PR * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.587	0.344	0.336	0.688

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	59.164	3	19.721	41.673	< .001
	Residual	112.632	238	0.473		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.949	0.760		3.882	< .001
	PR_mean1217	−0.333	0.290	−0.293	−1.148	0.252
	ott_mean	0.427	0.211	0.378	2.019	0.045
	PR_mean1217 * ott_mean	0.090	0.078	0.411	1.161	0.247

(PG ~ PR * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.496	0.246	0.237	0.581

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	26.282	3	8.761	25.938	< .001
	Residual	80.386	238	0.338		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	2.493	0.642		3.886	< .001
	PR_mean1217	0.374	0.245	0.417	1.526	0.128
	ott_mean	0.560	0.179	0.629	3.137	0.002
	PR_mean1217 * ott_mean	−0.068	0.066	−0.395	−1.040	0.299

(PRO ~ PR * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.488	0.238	0.228	0.765

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	43.469	3	14.490	24.753	< .001
	Residual	139.319	238	0.585		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	1.452	0.845		1.719	0.087
	PR_mean1217	0.417	0.323	0.355	1.293	0.197
	ott_mean	0.881	0.235	0.755	3.746	< .001
	PR_mean1217 * ott_mean	−0.120	0.086	−0.532	−1.394	0.165

(PL ~ PR * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.593	0.351	0.343	0.668

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	57.498	3	19.166	42.948	< .001
	Residual	106.212	238	0.446		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	1.572	0.738		2.132	0.034
	PR_mean1217	0.320	0.282	0.288	1.135	0.257
	ott_mean	0.803	0.205	0.728	3.912	< .001
	PR_mean1217 * ott_mean	−0.068	0.075	−0.319	−0.905	0.366

(SA ~ PR * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.681	0.464	0.457	0.711

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	104.225	3	34.742	68.689	< .001
	Residual	120.377	238	0.506		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	1.248	0.785		1.589	0.113
	PR_mean1217	−0.010	0.300	−0.008	−0.033	0.974
	ott_mean	0.892	0.219	0.690	4.082	< .001
	PR_mean1217 * ott_mean	−0.002	0.080	−0.009	−0.028	0.978

(AU ~ P * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.335	0.112	0.101	0.712

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	15.200	3	5.067	10.008	< .001
	Residual	120.490	238	0.506		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	2.537	0.924		2.746	0.006
	P_mean1425	0.298	0.310	0.277	0.961	0.337
	ott_mean	0.479	0.259	0.476	1.845	0.066
	P_mean1425 * ott_mean	−0.060	0.085	−0.304	−0.704	0.482

(EM ~ P * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.601	0.361	0.353	0.679

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	61.952	3	20.651	44.743	< .001
	Residual	109.845	238	0.462		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	0.976	0.882		1.106	0.270
	P_mean1425	0.438	0.296	0.362	1.481	0.140
	ott_mean	0.839	0.248	0.742	3.389	< .001
	P_mean1425 * ott_mean	−0.076	0.081	−0.343	−0.937	0.349

(PG ~ P * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.539	0.291	0.282	0.564

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	31.025	3	10.342	32.538	< .001
	Residual	75.643	238	0.318		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	1.837	0.732		2.509	0.013
	P_mean1425	0.580	0.246	0.609	2.362	0.019
	ott_mean	0.637	0.206	0.715	3.101	0.002
	P_mean1425 * ott_mean	−0.094	0.067	−0.543	−1.408	0.160

(PRO ~ P * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.490	0.240	0.230	0.764

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	43.815	3	14.605	25.012	< .001
	Residual	138.974	238	0.584		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	1.013	0.992		1.021	0.308
	P_mean1425	0.535	0.333	0.429	1.606	0.110
	ott_mean	0.958	0.279	0.821	3.438	< .001
	P_mean1425 * ott_mean	−0.137	0.091	−0.605	−1.514	0.131

(PL ~ P * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.615	0.378	0.370	0.654

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	61.907	3	20.636	48.243	< .001
	Residual	101.803	238	0.428		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	0.326	0.849		0.384	0.701
	P_mean1425	0.736	0.285	0.624	2.583	0.010
	ott_mean	1.056	0.238	0.957	4.429	< .001
	P_mean1425 * ott_mean	−0.154	0.078	−0.716	−1.982	0.049

(SA ~ P * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.686	0.470	0.463	0.707

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	105.600	3	35.200	70.398	< .001
	Residual	119.003	238	0.500		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	0.163	0.918		0.178	0.859
	P_mean1425	0.397	0.308	0.287	1.289	0.199
	ott_mean	1.110	0.258	0.859	4.306	< .001
	P_mean1425 * ott_mean	−0.086	0.084	−0.340	−1.019	0.309

(AU ~ H * **ottimismo**)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.328	0.108	0.096	0.713

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	14.595	3	4.865	9.562	< .001
	Residual	121.095	238	0.509		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.868	0.641		6.036	< .001
	H_mean1828	−0.241	0.269	−0.265	−0.896	0.371
	ott_mean	0.187	0.176	0.187	1.065	0.288
	H_mean1828 * ott_mean	0.061	0.073	0.290	0.838	0.403

(EM ~ H * **ottimismo**)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.589	0.347	0.339	0.687

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	59.630	3	19.877	42.175	< .001
	Residual	112.166	238	0.471		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	1.309	0.617		2.122	0.035
	H_mean1828	0.353	0.259	0.346	1.366	0.173
	ott_mean	0.896	0.169	0.792	5.287	< .001
	H_mean1828 * ott_mean	−0.104	0.071	−0.437	−1.480	0.140

(PG ~ H * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.480	0.230	0.220	0.587

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	24.525	3	8.175	23.687	< .001
	Residual	82.142	238	0.345		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	2.787	0.528		5.280	< .001
	H_mean1828	0.236	0.221	0.293	1.066	0.288
	ott_mean	0.550	0.145	0.617	3.791	< .001
	H_mean1828 * ott_mean	−0.057	0.060	−0.303	−0.945	0.346

(PRO ~ H * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.483	0.233	0.224	0.767

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	42.623	3	14.208	24.125	< .001
	Residual	140.165	238	0.589		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.354	0.689		3.415	< .001
	H_mean1828	0.086	0.289	0.082	0.298	0.766
	ott_mean	0.584	0.189	0.501	3.083	0.002
	H_mean1828 * ott_mean	−0.011	0.079	−0.046	−0.145	0.885

(PL ~ H * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.590	0.348	0.340	0.670

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	56.951	3	18.984	42.321	< .001
	Residual	106.759	238	0.449		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	1.784	0.602		2.965	0.003
	H_mean1828	0.235	0.252	0.235	0.930	0.353
	ott_mean	0.798	0.165	0.723	4.826	< .001
	H_mean1828 * ott_mean	−0.066	0.069	−0.284	−0.963	0.336

(SA ~ H * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.688	0.474	0.467	0.705

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	106.404	3	35.468	71.417	< .001
	Residual	118.198	238	0.497		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	−0.007	0.633		−0.010	0.992
	H_mean1828	0.558	0.265	0.478	2.102	0.037
	ott_mean	1.222	0.174	0.945	7.025	< .001
	H_mean1828 * ott_mean	−0.152	0.072	−0.557	−2.101	0.037

(AU ~ R * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.352	0.124	0.113	0.707

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	16.785	3	5.595	11.199	< .001
	Residual	118.905	238	0.500		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	4.351	0.506		8.599	< .001
	R_mean2227	−0.564	0.249	−0.631	−2.262	0.025
	ott_mean	0.062	0.140	0.061	0.440	0.660
	R_mean2227 * ott_mean	0.144	0.068	0.680	2.133	0.034

(EM ~ R * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.584	0.341	0.333	0.690

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	58.588	3	19.529	41.057	< .001
	Residual	113.208	238	0.476		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	1.951	0.494		3.952	< .001
	R_mean2227	0.082	0.243	0.081	0.336	0.737
	ott_mean	0.705	0.137	0.623	5.149	< .001
	R_mean2227 * ott_mean	−0.024	0.066	−0.100	−0.360	0.719

(PG ~ R * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.477	0.228	0.218	0.588

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	24.287	3	8.096	23.389	< .001
	Residual	82.381	238	0.346		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	3.376	0.421		8.017	< .001
	R_mean2227	−0.027	0.207	−0.034	−0.131	0.896
	ott_mean	0.387	0.117	0.434	3.311	0.001
	R_mean2227 * ott_mean	0.017	0.056	0.091	0.304	0.761

(PRO ~ R * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.499	0.249	0.240	0.759

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	45.575	3	15.192	26.350	< .001
	Residual	137.214	238	0.577		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.871	0.544		5.282	< .001
	R_mean2227	−0.148	0.268	−0.143	−0.552	0.582
	ott_mean	0.402	0.151	0.345	2.668	0.008
	R_mean2227 * ott_mean	0.076	0.073	0.309	1.048	0.296

(PL ~ R * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.589	0.347	0.338	0.670

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	56.733	3	18.911	42.073	< .001
	Residual	106.977	238	0.449		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	2.026	0.480		4.222	< .001
	R_mean2227	0.157	0.236	0.160	0.664	0.508
	ott_mean	0.723	0.133	0.655	5.436	< .001
	R_mean2227 * ott_mean	−0.041	0.064	−0.175	−0.636	0.525

(SA ~ R * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.683	0.467	0.460	0.709

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	104.866	3	34.955	69.480	< .001
	Residual	119.737	238	0.503		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	1.730	0.508		3.406	< .001
	R_mean2227	−0.273	0.250	−0.237	−1.090	0.277
	ott_mean	0.761	0.141	0.589	5.410	< .001
	R_mean2227 * ott_mean	0.066	0.068	0.243	0.976	0.330

(AU ~ A * ottimismo)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.324	0.105	0.094	0.714

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	14.253	3	4.751	9.312	< .001
	Residual	121.437	238	0.510		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.606	1.409		2.560	0.011
	A_mean2024	−0.072	0.394	−0.057	−0.183	0.855
	ott_mean	0.216	0.415	0.215	0.522	0.602
	A_mean2024 * ott_mean	0.029	0.114	0.144	0.252	0.801

(EM ~ A * ottimismo)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.598	0.357	0.349	0.681

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	61.379	3	20.460	44.099	< .001
	Residual	110.418	238	0.464		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	1.868	1.344		1.391	0.166
	A_mean2024	0.105	0.376	0.075	0.280	0.779
	ott_mean	0.536	0.396	0.474	1.354	0.177
	A_mean2024 * ott_mean	0.024	0.109	0.108	0.222	0.824

(PG ~ A * ottimismo)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.490	0.240	0.230	0.584

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	25.591	3	8.530	25.041	< .001
	Residual	81.077	238	0.341		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	3.796	1.151		3.298	0.001
	A_mean2024	−0.110	0.322	−0.099	−0.340	0.734
	ott_mean	0.144	0.339	0.162	0.425	0.671
	A_mean2024 * ott_mean	0.071	0.093	0.399	0.756	0.450

(PRO ~ A * ottimismo)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.483	0.233	0.223	0.767

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	42.613	3	14.204	24.117	< .001
	Residual	140.176	238	0.589		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.301	1.514		1.520	0.130
	A_mean2024	0.081	0.424	0.055	0.191	0.849
	ott_mean	0.565	0.446	0.485	1.268	0.206
	A_mean2024 * ott_mean	−0.005	0.123	−0.021	−0.039	0.969

(PL ~ A * ottimismo)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.591	0.350	0.342	0.669

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	57.271	3	19.090	42.687	< .001
	Residual	106.439	238	0.447		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	1.667	1.319		1.264	0.207
	A_mean2024	0.200	0.369	0.145	0.543	0.588
	ott_mean	0.744	0.388	0.674	1.916	0.057
	A_mean2024 * ott_mean	−0.032	0.107	−0.145	−0.297	0.767

(SA ~ A * ottimismo)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.690	0.477	0.470	0.703

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	107.048	3	35.683	72.242	< .001
	Residual	117.555	238	0.494		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	−0.434	1.386		−0.313	0.754
	A_mean2024	0.508	0.388	0.315	1.310	0.191
	ott_mean	1.199	0.408	0.927	2.937	0.004
	A_mean2024 * ott_mean	−0.099	0.112	−0.383	−0.876	0.382

