

ANALISI DI REGRESSIONE 4 (PWB ~ coping * risorse)

(AU ~ SU * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.556	0.309	0.300	0.628

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	41.922	3	13.974	35.469	< .001
	Residual	93.768	238	0.394		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.631	0.359		10.121	< .001
	SU_mean411	−0.319	0.273	−0.196	−1.169	0.244
	res_mean	0.445	0.131	0.484	3.392	< .001
	SU_mean411 * res_mean	0.020	0.103	0.040	0.199	0.843

(EM ~ SU * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.704	0.495	0.489	0.604

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	85.100	3	28.367	77.872	< .001
	Residual	86.697	238	0.364		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	3.113	0.345		9.025	< .001
	SU_mean411	−0.416	0.262	−0.228	−1.587	0.114
	res_mean	0.612	0.126	0.591	4.850	< .001
	SU_mean411 * res_mean	0.074	0.099	0.128	0.750	0.454

(PG ~ SU * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.583	0.340	0.332	0.544

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	36.252	3	12.084	40.842	< .001
	Residual	70.416	238	0.296		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.337	0.311		13.951	< .001
	SU_mean411	−0.586	0.236	−0.407	−2.479	0.014
	res_mean	0.243	0.114	0.298	2.139	0.033
	SU_mean411 * res_mean	0.175	0.089	0.385	1.967	0.050

(PRO ~ SU * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.460	0.212	0.202	0.778

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	38.742	3	12.914	21.337	< .001
	Residual	144.047	238	0.605		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	3.507	0.445		7.888	< .001
	SU_mean411	−0.158	0.338	−0.083	−0.466	0.642
	res_mean	0.486	0.163	0.455	2.989	0.003
	SU_mean411 * res_mean	−0.020	0.127	−0.034	−0.160	0.873

(PL ~ SU * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.609	0.371	0.363	0.658

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	60.687	3	20.229	46.732	< .001
	Residual	103.023	238	0.433		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.459	0.376		9.197	< .001
	SU_mean411	−0.340	0.286	−0.190	−1.187	0.236
	res_mean	0.509	0.138	0.504	3.702	< .001
	SU_mean411 * res_mean	0.074	0.108	0.132	0.691	0.490

(SA ~ SU * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.651	0.423	0.416	0.738

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	95.112	3	31.704	58.271	< .001
	Residual	129.490	238	0.544		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.557	0.422		6.066	< .001
	SU_mean411	−0.140	0.321	−0.067	−0.437	0.663
	res_mean	0.752	0.154	0.635	4.875	< .001
	SU_mean411 * res_mean	0.005	0.121	0.008	0.041	0.967

(AU ~ ES * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.541	0.293	0.284	0.635

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	39.717	3	13.239	32.831	< .001
	Residual	95.973	238	0.403		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.880	0.392		9.902	< .001
	ES_mean515	−0.301	0.163	−0.284	−1.839	0.067
	res_mean	0.233	0.146	0.253	1.597	0.112
	ES_mean515 * res_mean	0.117	0.063	0.371	1.861	0.064

(EM ~ ES * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.694	0.482	0.476	0.611

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.827	3	27.609	73.856	< .001
	Residual	88.970	238	0.374		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.780	0.377		7.368	< .001
	ES_mean515	−0.083	0.157	−0.069	−0.525	0.600
	res_mean	0.698	0.140	0.674	4.974	< .001
	ES_mean515 * res_mean	0.005	0.060	0.013	0.075	0.941

(PG ~ ES * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.571	0.326	0.317	0.550

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	34.739	3	11.580	38.314	< .001
	Residual	71.929	238	0.302		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.065	0.339		11.986	< .001
	ES_mean515	−0.199	0.141	−0.212	−1.407	0.161
	res_mean	0.325	0.126	0.398	2.573	0.011
	ES_mean515 * res_mean	0.060	0.054	0.213	1.097	0.274

(PRO ~ ES * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.449	0.202	0.192	0.783

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	36.883	3	12.294	20.054	< .001
	Residual	145.905	238	0.613		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	3.164	0.483		6.550	< .001
	ES_mean515	0.060	0.201	0.049	0.298	0.766
	res_mean	0.562	0.180	0.526	3.126	0.002
	ES_mean515 * res_mean	−0.041	0.077	−0.112	−0.528	0.598

(PL ~ ES * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.604	0.364	0.356	0.661

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	59.672	3	19.891	45.502	< .001
	Residual	104.038	238	0.437		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.360	0.408		8.237	< .001
	ES_mean515	−0.146	0.170	−0.125	−0.856	0.393
	res_mean	0.507	0.152	0.501	3.340	< .001
	ES_mean515 * res_mean	0.045	0.065	0.129	0.684	0.494

(SA ~ ES * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.651	0.423	0.416	0.738

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	95.042	3	31.681	58.196	< .001
	Residual	129.561	238	0.544		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.771	0.455		6.086	< .001
	ES_mean515	−0.173	0.190	−0.127	−0.913	0.362
	res_mean	0.665	0.169	0.562	3.931	< .001
	ES_mean515 * res_mean	0.043	0.073	0.106	0.588	0.557

(AU ~ IS * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.547	0.299	0.290	0.632

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	40.605	3	13.535	33.878	< .001
	Residual	95.086	238	0.400		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	4.058	0.407		9.964	< .001
	IS_mean1023	−0.366	0.168	−0.311	−2.179	0.030
	res_mean	0.247	0.149	0.269	1.663	0.098
	IS_mean1023 * res_mean	0.102	0.063	0.307	1.614	0.108

(EM ~ IS * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.692	0.479	0.473	0.613

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.360	3	27.453	73.055	< .001
	Residual	89.437	238	0.376		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.689	0.395		6.808	< .001
	IS_mean1023	−0.045	0.163	−0.034	−0.275	0.784
	res_mean	0.706	0.144	0.681	4.892	< .001
	IS_mean1023 * res_mean	0.003	0.061	0.007	0.041	0.967

(PG ~ IS * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.569	0.323	0.315	0.551

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	34.487	3	11.496	37.905	< .001
	Residual	72.180	238	0.303		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.020	0.355		11.329	< .001
	IS_mean1023	−0.178	0.146	−0.171	−1.215	0.225
	res_mean	0.328	0.130	0.402	2.533	0.012
	IS_mean1023 * res_mean	0.058	0.055	0.196	1.048	0.296

(PRO ~ IS * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.456	0.208	0.198	0.780

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	37.933	3	12.644	20.775	< .001
	Residual	144.855	238	0.609		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	3.203	0.503		6.372	< .001
	IS_mean1023	0.048	0.207	0.035	0.230	0.819
	res_mean	0.600	0.184	0.561	3.268	0.001
	IS_mean1023 * res_mean	−0.062	0.078	−0.160	−0.791	0.429

(PL ~ IS * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.603	0.363	0.355	0.662

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	59.502	3	19.834	45.299	< .001
	Residual	104.208	238	0.438		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.286	0.426		7.708	< .001
	IS_mean1023	−0.111	0.176	−0.086	−0.634	0.526
	res_mean	0.531	0.156	0.525	3.409	< .001
	IS_mean1023 * res_mean	0.033	0.066	0.091	0.504	0.615

(SA ~ IS * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.653	0.426	0.419	0.736

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	95.699	3	31.900	58.898	< .001
	Residual	128.904	238	0.542		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.991	0.474		6.308	< .001
	IS_mean1023	−0.266	0.195	−0.176	−1.361	0.175
	res_mean	0.604	0.173	0.510	3.487	< .001
	IS_mean1023 * res_mean	0.068	0.074	0.159	0.920	0.358

(AU ~ BD * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.533	0.285	0.276	0.639

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	38.614	3	12.871	31.557	< .001
	Residual	97.076	238	0.408		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.150	0.315		10.016	< .001
	BD_mean616	0.026	0.194	0.015	0.133	0.895
	res_mean	0.468	0.118	0.509	3.956	< .001
	BD_mean616 * res_mean	0.027	0.082	0.046	0.335	0.738

(EM ~ BD * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.704	0.495	0.489	0.604

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	85.075	3	28.358	77.826	< .001
	Residual	86.722	238	0.364		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	3.083	0.297		10.371	< .001
	BD_mean616	−0.310	0.183	−0.162	−1.691	0.092
	res_mean	0.638	0.112	0.616	5.705	< .001
	BD_mean616 * res_mean	0.025	0.077	0.037	0.321	0.748

(PG ~ BD * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.586	0.343	0.335	0.543

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	36.578	3	12.193	41.402	< .001
	Residual	70.090	238	0.294		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	4.272	0.267		15.983	< .001
	BD_mean616	−0.435	0.165	−0.289	−2.643	0.009
	res_mean	0.279	0.101	0.342	2.775	0.006
	BD_mean616 * res_mean	0.112	0.069	0.210	1.618	0.107

(PRO ~ BD * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.487	0.237	0.227	0.766

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	43.311	3	14.437	24.635	< .001
	Residual	139.477	238	0.586		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	3.356	0.377		8.901	< .001
	BD_mean616	0.024	0.232	0.012	0.103	0.918
	res_mean	0.647	0.142	0.606	4.561	< .001
	BD_mean616 * res_mean	−0.178	0.098	−0.255	−1.818	0.070

(PL ~ BD * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.611	0.374	0.366	0.656

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	61.154	3	20.385	47.306	< .001
	Residual	102.556	238	0.431		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.338	0.323		10.325	< .001
	BD_mean616	−0.180	0.199	−0.096	−0.902	0.368
	res_mean	0.590	0.122	0.583	4.849	< .001
	BD_mean616 * res_mean	−0.014	0.084	−0.022	−0.171	0.864

(SA ~ BD * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.658	0.433	0.426	0.731

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	97.251	3	32.417	60.582	< .001
	Residual	127.352	238	0.535		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.894	0.360		8.032	< .001
	BD_mean616	−0.323	0.222	−0.148	−1.457	0.147
	res_mean	0.682	0.136	0.576	5.033	< .001
	BD_mean616 * res_mean	0.029	0.093	0.038	0.314	0.754

(AU ~ PR * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.543	0.295	0.286	0.634

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	39.966	3	13.322	33.123	< .001
	Residual	95.724	238	0.402		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.850	0.483		7.977	< .001
	PR_mean1217	−0.287	0.193	−0.284	−1.490	0.137
	res_mean	0.350	0.178	0.380	1.966	0.051
	PR_mean1217 * res_mean	0.067	0.067	0.303	0.999	0.319

(EM ~ PR * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.695	0.483	0.476	0.611

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.902	3	27.634	73.985	< .001
	Residual	88.895	238	0.374		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	3.117	0.465		6.703	< .001
	PR_mean1217	−0.232	0.186	−0.204	−1.246	0.214
	res_mean	0.563	0.171	0.543	3.280	0.001
	PR_mean1217 * res_mean	0.067	0.065	0.267	1.029	0.304

(PG ~ PR * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.583	0.340	0.332	0.544

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	36.267	3	12.089	40.869	< .001
	Residual	70.400	238	0.296		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	2.676	0.414		6.465	< .001
	PR_mean1217	0.407	0.165	0.453	2.459	0.015
	res_mean	0.720	0.153	0.882	4.718	< .001
	PR_mean1217 * res_mean	−0.114	0.058	−0.578	−1.972	0.050

(PRO ~ PR * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.450	0.202	0.192	0.783

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	36.954	3	12.318	20.103	< .001
	Residual	145.834	238	0.613		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.844	0.596		4.774	< .001
	PR_mean1217	0.180	0.238	0.153	0.755	0.451
	res_mean	0.653	0.220	0.611	2.973	0.003
	PR_mean1217 * res_mean	−0.069	0.083	−0.266	−0.826	0.410

(PL ~ PR * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.605	0.367	0.359	0.660

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	60.012	3	20.004	45.912	< .001
	Residual	103.698	238	0.436		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	2.589	0.502		5.155	< .001
	PR_mean1217	0.196	0.201	0.176	0.977	0.330
	res_mean	0.711	0.185	0.703	3.836	< .001
	PR_mean1217 * res_mean	−0.048	0.070	−0.197	−0.685	0.494

(SA ~ PR * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.650	0.422	0.415	0.739

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	94.797	3	31.599	57.937	< .001
	Residual	129.805	238	0.545		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.882	0.562		5.129	< .001
	PR_mean1217	−0.209	0.225	−0.161	−0.933	0.352
	res_mean	0.577	0.207	0.487	2.785	0.006
	PR_mean1217 * res_mean	0.076	0.079	0.265	0.965	0.336

(AU ~ P * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.533	0.284	0.275	0.639

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	38.522	3	12.841	31.452	< .001
	Residual	97.168	238	0.408		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.321	0.524		6.339	< .001
	P_mean1425	−0.052	0.188	−0.048	−0.276	0.783
	res_mean	0.501	0.199	0.545	2.521	0.012
	P_mean1425 * res_mean	0.001	0.067	0.006	0.019	0.985

(EM ~ P * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.694	0.481	0.475	0.612

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.653	3	27.551	73.557	< .001
	Residual	89.144	238	0.375		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.106	0.502		4.198	< .001
	P_mean1425	0.182	0.180	0.150	1.011	0.313
	res_mean	0.853	0.190	0.824	4.479	< .001
	P_mean1425 * res_mean	−0.053	0.064	−0.221	−0.824	0.411

(PG ~ P * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.593	0.352	0.344	0.539

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	37.544	3	12.515	43.090	< .001
	Residual	69.123	238	0.290		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	2.681	0.442		6.066	< .001
	P_mean1425	0.378	0.158	0.397	2.391	0.018
	res_mean	0.628	0.168	0.769	3.743	< .001
	P_mean1425 * res_mean	−0.079	0.057	−0.416	−1.387	0.167

(PRO ~ P * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.453	0.205	0.195	0.781

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	37.477	3	12.492	20.461	< .001
	Residual	145.311	238	0.611		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.548	0.641		3.978	< .001
	P_mean1425	0.268	0.229	0.215	1.167	0.244
	res_mean	0.769	0.243	0.720	3.163	0.002
	P_mean1425 * res_mean	−0.102	0.082	−0.414	−1.246	0.214

(PL ~ P * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.615	0.378	0.370	0.654

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	61.905	3	20.635	48.240	< .001
	Residual	101.805	238	0.428		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	1.924	0.536		3.587	< .001
	P_mean1425	0.428	0.192	0.362	2.226	0.027
	res_mean	0.910	0.204	0.900	4.470	< .001
	P_mean1425 * res_mean	−0.119	0.069	−0.509	−1.733	0.084

(SA ~ P * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.648	0.420	0.413	0.740

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	94.373	3	31.458	57.491	< .001
	Residual	130.229	238	0.547		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.147	0.607		3.540	< .001
	P_mean1425	0.084	0.217	0.061	0.389	0.698
	res_mean	0.839	0.230	0.708	3.643	< .001
	P_mean1425 * res_mean	−0.027	0.078	−0.098	−0.344	0.731

(AU ~ H * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.533	0.284	0.275	0.639

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	38.553	3	12.851	31.487	< .001
	Residual	97.137	238	0.408		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.240	0.399		8.125	< .001
	H_mean1828	−0.014	0.179	−0.016	−0.080	0.936
	res_mean	0.511	0.144	0.556	3.556	< .001
	H_mean1828 * res_mean	−0.009	0.064	−0.037	−0.147	0.883

(EM ~ H * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.694	0.482	0.476	0.611

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.825	3	27.608	73.852	< .001
	Residual	88.972	238	0.374		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.344	0.382		6.143	< .001
	H_mean1828	0.113	0.171	0.111	0.660	0.510
	res_mean	0.840	0.138	0.811	6.103	< .001
	H_mean1828 * res_mean	−0.057	0.061	−0.202	−0.938	0.349

(PG ~ H * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.568	0.322	0.314	0.551

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	34.390	3	11.463	37.747	< .001
	Residual	72.278	238	0.304		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	3.263	0.344		9.486	< .001
	H_mean1828	0.167	0.154	0.208	1.082	0.280
	res_mean	0.576	0.124	0.706	4.643	< .001
	H_mean1828 * res_mean	−0.055	0.055	−0.247	−1.003	0.317

(PRO ~ H * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.449	0.201	0.191	0.783

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	36.779	3	12.260	19.984	< .001
	Residual	146.009	238	0.613		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	3.126	0.489		6.394	< .001
	H_mean1828	0.078	0.219	0.074	0.354	0.723
	res_mean	0.507	0.176	0.474	2.873	0.004
	H_mean1828 * res_mean	−0.015	0.078	−0.051	−0.192	0.848

(PL ~ H * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.602	0.363	0.355	0.662

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	59.355	3	19.785	45.124	< .001
	Residual	104.354	238	0.438		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.020	0.413		7.308	< .001
	H_mean1828	0.004	0.185	0.004	0.023	0.982
	res_mean	0.626	0.149	0.619	4.196	< .001
	H_mean1828 * res_mean	−0.008	0.066	−0.027	−0.115	0.909

(SA ~ H * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.649	0.421	0.414	0.739

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	94.580	3	31.527	57.708	< .001
	Residual	130.023	238	0.546		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.071	0.461		4.489	< .001
	H_mean1828	0.144	0.207	0.123	0.694	0.488
	res_mean	0.881	0.166	0.744	5.294	< .001
	H_mean1828 * res_mean	−0.054	0.074	−0.166	−0.730	0.466

(AU ~ R * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.537	0.288	0.279	0.637

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	39.103	3	13.034	32.118	< .001
	Residual	96.587	238	0.406		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.602	0.311		11.593	< .001
	R_mean2227	−0.211	0.150	−0.237	−1.411	0.159
	res_mean	0.353	0.117	0.383	3.008	0.003
	R_mean2227 * res_mean	0.073	0.056	0.267	1.294	0.197

(EM ~ R * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.694	0.482	0.475	0.612

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.794	3	27.598	73.799	< .001
	Residual	89.003	238	0.374		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.279	0.298		7.641	< .001
	R_mean2227	0.163	0.144	0.163	1.136	0.257
	res_mean	0.808	0.113	0.780	7.169	< .001
	R_mean2227 * res_mean	−0.049	0.054	−0.161	−0.910	0.364

(PG ~ R * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.571	0.326	0.317	0.550

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	34.773	3	11.591	38.371	< .001
	Residual	71.895	238	0.302		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	3.374	0.268		12.587	< .001
	R_mean2227	0.131	0.129	0.165	1.012	0.313
	res_mean	0.510	0.101	0.625	5.040	< .001
	R_mean2227 * res_mean	−0.027	0.049	−0.114	−0.565	0.573

(PRO ~ R * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.475	0.225	0.216	0.771

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	41.219	3	13.740	23.098	< .001
	Residual	141.570	238	0.595		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	2.972	0.376		7.900	< .001
	R_mean2227	0.179	0.181	0.173	0.988	0.324
	res_mean	0.481	0.142	0.450	3.386	< .001
	R_mean2227 * res_mean	−0.005	0.068	−0.017	−0.077	0.939

(PL ~ R * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.610	0.372	0.364	0.657

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	60.918	3	20.306	47.016	< .001
	Residual	102.792	238	0.432		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	2.499	0.321		7.795	< .001
	R_mean2227	0.287	0.155	0.292	1.855	0.065
	res_mean	0.779	0.121	0.770	6.435	< .001
	R_mean2227 * res_mean	−0.092	0.058	−0.307	−1.579	0.116

(SA ~ R * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.649	0.421	0.413	0.739

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	94.482	3	31.494	57.605	< .001
	Residual	130.121	238	0.547		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.394	0.361		6.637	< .001
	R_mean2227	−0.010	0.174	−0.009	−0.059	0.953
	res_mean	0.735	0.136	0.621	5.400	< .001
	R_mean2227 * res_mean	0.016	0.065	0.046	0.249	0.803

(AU ~ A * resilienza)

Model Summary – benAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.750
H ₁	0.537	0.288	0.279	0.637

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	39.142	3	13.047	32.163	< .001
	Residual	96.548	238	0.406		
	Total	135.690	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.486	0.048		93.013	< .001
H ₁	(Intercept)	3.264	0.606		5.389	< .001
	A_mean2024	−0.030	0.177	−0.024	−0.171	0.864
	res_mean	0.621	0.255	0.674	2.433	0.016
	A_mean2024 * res_mean	−0.031	0.072	−0.147	−0.432	0.666

(EM ~ A * resilienza)

Model Summary – benEMmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.844
H ₁	0.694	0.481	0.475	0.612

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	82.645	3	27.548	73.543	< .001
	Residual	89.152	238	0.375		
	Total	171.797	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.451	0.054		82.010	< .001
H ₁	(Intercept)	2.407	0.582		4.137	< .001
	A_mean2024	0.062	0.170	0.044	0.362	0.718
	res_mean	0.680	0.245	0.656	2.773	0.006
	A_mean2024 * res_mean	0.006	0.069	0.023	0.080	0.936

(PG ~ A * resilienza)

Model Summary – benPGmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.665
H ₁	0.567	0.322	0.313	0.551

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	34.314	3	11.438	37.624	< .001
	Residual	72.354	238	0.304		
	Total	106.668	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.816	0.043		112.601	< .001
H ₁	(Intercept)	3.630	0.524		6.924	< .001
	A_mean2024	0.003	0.154	0.003	0.020	0.984
	res_mean	0.366	0.221	0.449	1.658	0.099
	A_mean2024 * res_mean	0.023	0.062	0.125	0.378	0.706

(PRO ~ A * resilienza)

Model Summary – benPROmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.871
H ₁	0.461	0.213	0.203	0.778

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	38.853	3	12.951	21.415	< .001
	Residual	143.935	238	0.605		
	Total	182.788	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.535	0.056		81.014	< .001
H ₁	(Intercept)	4.506	0.739		6.095	< .001
	A_mean2024	−0.354	0.217	−0.243	−1.633	0.104
	res_mean	−0.118	0.311	−0.111	−0.379	0.705
	A_mean2024 * res_mean	0.169	0.088	0.692	1.934	0.054

(PL ~ A * resilienza)

Model Summary – benPLmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.824
H ₁	0.608	0.369	0.361	0.659

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	60.476	3	20.159	46.474	< .001
	Residual	103.234	238	0.434		
	Total	163.710	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.618	0.053		87.159	< .001
H ₁	(Intercept)	3.874	0.626		6.187	< .001
	A_mean2024	−0.245	0.183	−0.178	−1.334	0.183
	res_mean	0.188	0.264	0.186	0.712	0.477
	A_mean2024 * res_mean	0.119	0.074	0.515	1.609	0.109

(SA ~ A * resilienza)

Model Summary – benSAmean

Model	R	R ²	Adjusted R ²	RMSE
H ₀	0.000	0.000	0.000	0.965
H ₁	0.652	0.425	0.418	0.736

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
H ₁	Regression	95.560	3	31.853	58.749	< .001
	Residual	129.042	238	0.542		
	Total	224.603	241			

Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized	t	p
H ₀	(Intercept)	4.374	0.062		70.488	< .001
H ₁	(Intercept)	2.496	0.700		3.566	< .001
	A_mean2024	−0.020	0.205	−0.013	−0.099	0.921
	res_mean	0.534	0.295	0.451	1.812	0.071
	A_mean2024 * res_mean	0.059	0.083	0.218	0.715	0.476

